


Cotton Accessories

**FOR TOWN
AND COUNTRY**

**CALOT and BAG
No. 2593
See Page 12**



PRICE 10 CENTS

We recommend:

For Town...

Crisp accessories, for you-on-the-job, whether defense or regular — for you, a city dweller, or in town for the day. A complete suit story — matching hat and bag, lovely tailored blouse, ribbon trimmed lapels and a duet of yokes to work wonders on dark dresses. Fashion headliners — tassel trimmed brim hat, or gay pique-frilled calot and the ever popular smart turban-scarf.




For Country...

At home, or on off-duty leisure days wear casuals — checked vest, basque striped shirt and stocking cap, or ribbon-bound sleeveless pullover. For foot comfort, wear gay as gay play shoes; of course turban-scarfs are just as good for country or town wear.



Duet of Yokes




right:
FRILLED YOKE
No. 2600 See page 12



left:
SCALLOPED YOKE
No. 2583 See page 12

Two's company — for your dark dresses! A yoke duet that strikes a young note with frills and scallops.

Country Casuals



CHECKED VEST No. 1271

MATERIALS:

J. & P. COATS KNIT-CRO-SHEEN,
3 balls of Ecrú and 1 ball each of Light
and Dark Brown for size 14, 4 balls of
Ecrú and 2 balls each of Light and
Dark Brown for sizes 16 and 18.

Milward's Steel Crochet Hook No. 4.
5 buttons.

BLOCKING MEASUREMENTS:

Sizes	14	16	18
Bust (vest buttoned)	33½"	35½"	37½"
Width across back at underarm	16½"	17½"	18½"
Width across each front at underarm	9"	9½"	10"
Width across back between armholes (incl armbands)	12½"	13"	13½"
Length of side seam (incl bands)	11½"	11½"	12"
Length from top of shoulder	19½"	20"	20½"

GAUGE: 8 sts make 1 inch, 9 rows make 1 inch.

Sizes	14	16	18
BACK . . . With Ecrú			
ch 129	ch 137	ch 145	
to measure	16"	17"	18"
1st row: Sc in 2nd ch from hook and in each ch across. Ch 1, turn. 2nd row: Sc in each st across. Ch 1, turn. Repeat 2nd row until piece measures	1½"	1½"	2"
Dec 1 st at end of each row until there remain	104 sts	112 sts	120 sts
Work straight until piece measures in all	5"	5"	5½"
Inc 1 st at end of each row until there are	132 sts	140 sts	148 sts
Work straight until piece measures in all	10"	10"	10½"
To Shape Armholes: 1st row: Sl st across 8 sts, work across to last 8 sts. Ch 1, turn. 2nd row: Sl st across 2 sts, work across remainder of row. Ch 1, turn. Repeat 2nd row 9 more times. Dec 1 st at end of each row until there remain	88 sts	92 sts	96 sts

Work straight until piece measures from 1st row of armhole shaping

8¼"	8½"	9¼"
-----	-----	-----

Shape shoulder and back of neck as follows: **1st row:** Work across

33 sts	34 sts	34 sts
--------	--------	--------

turn.

2nd row: Sl st across 4 sts, work across remainder of row. **3rd row:** Work across to last 4 sts, turn. **4th row:** Work across entire row. **5th row:** Starting at armhole edge, sl st across

6 sts	7 sts	7 sts
-------	-------	-------

finish row.

6th row: Work across to last

6 sts	7 sts	7 sts
-------	-------	-------

turn.

7th row: Repeat 5th row. Fasten off.

RIGHT FRONT . . . With Ecrú, ch 2. **1st row:** 2 sc in 2nd ch from hook. Ch 4, turn. **2nd row:** Sc in 2nd ch from hook, sc in 2 ch, sc in each st across. Ch 4, turn. **3rd row:** Repeat 2nd row. **4th row:** Sc in 2nd ch from hook, sc in 2 ch, sc in each st across. Fasten off Ecrú, attach Light Brown, ch 4, turn. **5th row:** Repeat 2nd row. **6th row:** Same as 4th row.

Continued on page 6

Wear these fashions with slacks or crisp cotton skirts for a colorful sports life! The spongy knitted sleeveless pullover is perfect for after tennis.



above:
STRIPED SHIRT
AND CAP No. 1268
See page 13

below:
SLEEVELESS PULLOVER
No. 1267 See page 14



CHECKED VEST

No. 1271 *Continued from page 4*

Fasten off Light Brown, attach Dark Brown, ch 4, turn. **7th row:** Sc in 2nd ch from hook, sc in 2 ch, sc in 11 sts, a long sc in next st—to make a long sc insert hook in base of next st 4 rows down, draw loop through and complete as for an sc—skip sc behind long sc and finish row. Ch 4, turn. **8th row:** Repeat 2nd row. **9th row:** Same as 2nd row only ch 5 and turn. **10th row:** Same as 4th row. Fasten off Dark Brown, attach Ecu, ch 5, turn. **11th row:** Sc in 2nd ch from hook, sc in 3 ch, (sc in 11 sts, long sc in next st 4 rows down, skip sc behind long sc) twice, sc in 6 sts. Ch 5, turn. **12th row:** Sc in 2nd ch from hook, sc in 3 ch, finish row. Fasten off Ecu, attach Light Brown. Ch 5, turn. **13th row:** Sc in 2nd ch from hook, sc in 3 ch, sc in 9 sts, (long sc in next st, skip sc behind long sc, sc in 11 sts) twice, long sc in next st, skip sc behind long sc, sc in 4 sts. Ch 5, turn. **14th, 15th and 16th rows:** Same as 12th row. At end of 16th row fasten off Light Brown, attach Dark Brown. Ch 5, turn. **17th row:** Sc in 2nd ch from hook, sc in 3 ch, (sc in 11 sts, long sc in next st) 4 times, sc in 6 sts. *On size 14 only*—ch 1, turn; *on sizes 16 and 18*—ch 5, turn. **18th row:** *On size 14 only*—sc in each st across. *On sizes 16 and 18*—same as 12th row. All sizes—fasten off Dark Brown, attach Ecu. *Size 14 only*—ch 1, turn; *sizes 16 and 18*—ch 5, turn. **19th row:** *On size 14 only*—sc in 9 sts, (long sc in next st, sc in 11 sts) 4 times, long sc in next st, sc in next sc. *On sizes 16 and 18 only*—sc in 2nd ch from hook, sc in 3 ch, sc in 9 sts, (long sc in next st, sc in 11 sts) 4 times, long sc in next st, sc in 5 sts. *On sizes 14 and 16 only*—ch 1, turn. *On size 18 only*—ch 5, turn. **20th row:** *On sizes 14 and 16 only*—sc in each st across. Ch 1, turn. *On size 18 only*—sc in 2nd ch from hook, sc in 3 ch, finish row. Ch 1, turn. **21st and 22nd rows:** *On all sizes*—sc in each st across. Fasten off Ecu. Attach Light Brown. Ch 1, turn.

Sizes	14	16	18
-------	----	----	----

Shaping of point is now complete. There are on row

58 sts	66 sts	70 sts
--------	--------	--------

The last 18 rows (5th to 22nd rows incl) describe the color sequence and the position of the long sc's. Work straight in pattern until piece measures down center of piece to tip of point.

3½"	3½"	3"
-----	-----	----

Now, keeping front edge straight dec 1 st at side edge—to dec, work off 2 sts as 1 st—on next row and every other row thereafter until there remain on row

48 sts	52 sts	56 sts
--------	--------	--------

Work straight until piece measures straight up from point

6½"	7"	7½"
-----	----	-----

Now inc 1 st at side edge on next row and every other row thereafter until there are on row

62 sts	66 sts	70 sts
--------	--------	--------

Work straight until piece measures straight up from point

12"	12"	12½"
-----	-----	------

To Shape Armhole: Starting at side edge, sl st across 8 sts, finish row. Starting at same edge sl st across 2 sts every other row 5 times. Continue armhole shaping and shape front simultaneously as follows: Dec 1 st at armhole edge every other row

4	6	8
times	times	times

AT THE SAME TIME

Dec 1 st at front edge every other row until there remain

24 sts	28 sts	28 sts
--------	--------	--------

Work straight until piece measures from 1st row of armhole shaping

8½"	9"	9½"
-----	----	-----

Starting at armhole edge sl st across

6 sts	7 sts	7 sts
-------	-------	-------

every other row 4 times. Fasten off.

LEFT FRONT . . . Work to correspond with Right Front. Press pieces through damp cloth. Sew shoulder and underarm seams.

ARM BANDS . . . With Ecu ch 7. **1st row:** Sc in 2nd ch from hook and in each ch across. Ch 1, turn. **2nd row:** Sc in each st across. Ch 1, turn. Repeat 2nd row until piece is 1 inch shorter than circumference of entire armhole. Make another piece same as this. Starting at underarm, pin band around armhole having band overlap on right side of vest for ⅛ inch and stretching band along curved edge to fit. Sew in place with invisible sts.

OUTSIDE BAND . . . Work as for Arm band making a buttonhole when piece measures

1¼"	1¼"	1½"
-----	-----	-----

—to make a buttonhole, sc in 1st sc, ch 4, skip 4 sc, sc in last sc, ch 1, turn. On next row work sc in each sc and in each ch across. Ch 1, turn; and thereafter every

2¼"	2¼"	2½"
-----	-----	-----

(measuring from the 1st buttonhole) until 5 in all are made.

Then work straight until piece is long enough to go up Right Front, around back of Neck, down Left Front, along point of Left Front, around lower Back and along point of Right Front. Pin band in place, mitering at points if necessary and stretching band along back of neck to fit. Sew with invisible sts. Sew on buttons to correspond with buttonholes.



MESH SQUARE

No. 2608

MATERIALS:

J. & P. COATS KNIT-CRO-SHEEN,
3 balls of White or Ecu, or 5 balls of any color.

Milward's Steel Crochet Hook No. 6.

GAUGE: 3 patterns make 2 inches.

Make a chain 32 inches long (about 9 ch sts to 1 inch). **1st row:** Sc in 7th ch from hook, * ch 3, skip 2 ch, sc in next ch. Repeat from * across until there are 85 loops. Cut off remaining chain; row should measure 28 inches. Ch 5, turn. **2nd row:** Sc in 1st loop, * ch 5, sc in next loop, sc in next sc, sc in next loop. Repeat from * across ending row with ch 5, sc in center st of turning ch. Ch 5, turn. **3rd row:** * Sc in center st of next ch-5, ch 3, sc in center st of 3-sc group, ch 3. Repeat from * across ending row with ch 5, sc in center st of turning ch. Ch 5, turn. **4th row:** * Sc in next loop, sc in next sc, sc in next loop, ch 5. Repeat from * across. Ch 5, turn. **5th row:** * Sc in center st of 3-sc group, ch 3, sc in center st of next ch-5. Repeat from * across ending row with sc in center st of turning ch. Ch 5, turn. Repeat 2nd to 5th rows incl until piece is 28 inches square. Do not break off but work a row of sc all around edge increasing as necessary at corners to keep work flat. Pin out to measure 28 x 28 inches and press through damp cloth.

MESH TURBAN

No. 2620

MATERIALS:

J. & P. COATS KNIT-CRO-SHEEN,
2 balls of White or Ecu, or 3 balls of any color.

Milward's Steel Crochet Hook No. 4.

GAUGE: 3 triangles make 1 inch; 3 rows make 1 inch.

Make a chain 4 inches long. **1st row:** Dc in 5th ch from hook, * skip 1 ch, dc in next ch, ch 2, dc in same ch (triangle made). Repeat from * across until there are 20 triangles. Ch 3, turn. **2nd row:** Dc in 1st ch-2 sp, * in next ch-2 sp make 2 dc with ch-2 between. Repeat from * across. Ch 3, turn. Repeat the 2nd row until piece measures 24 inches, then dec a complete triangle at one end each row until only 3 triangles remain. *To dec at beginning of row, skip 1st ch-2 sp, make a triangle in next ch-2 sp. To dec at end of row, work dc in next sp, ch 2, dc in last sp.* Ch 3, turn. Fasten off. Make another piece like this, then sew together the 2 straight ends and shift the seam to measure 2 inches. This is center back of hat. Wrap hat around head, make a double knot in front, then tuck in ends as in illustration, thus making loops.

left: **STRIPED TURBAN** No. 2607
below: **MESH SQUARE** No. 2608



A Trio of Wind-ups!

To go everywhere! Stuff them into pockets, pack them away — they'll still wind into stunning turbans.

STRIPED TURBAN No. 2607


MATERIALS:

J. & P. COATS KNIT-CRO-SHEEN,
1 ball each of Red, Green, White and Yellow.

Milward's Steel Crochet Hook No. 6.

GAUGE: 9 ch-1 sps make 2 inches; 4 rows make 1 inch.

With White make a chain 50 inches long (about 9 ch sts to 1 inch). **1st row:** Dc in 6th ch from hook, * ch 1, skip 1 ch, dc in next ch. Repeat from * across. Fasten off and turn. **2nd row:** Attach Green in 1st ch-1 sp, ch 4, * dc in next sp, ch 1. Repeat from * across ending row with ch 1, skip 1 st of turning ch, dc in next ch. Fasten off and turn. Repeat the 2nd row for pattern, working color sequence as follows: * 1 row Yellow, 1 row Red, 1 row White, 1 row Green. Repeat from * until piece is 10 inches wide. Fasten off. Wrap around head, tie in a square knot in front and tuck in the ends.



Suit Story

A group of accessories keyed to a suit year. Bow trimmed hat and bag, charm-blouse and ribbon-edged lapels add a feminine accent to fine tailoring.

LAPELS No. 2589 See page 14

HAT and BAG

No. 2594

MATERIALS:

J. & P. COATS KNIT-CRO-SHEEN,
2 balls of Ecrú and 3 balls of Beige.
Milward's Casein Crochet Hook No. 5 or
Milward's Steel Crochet Hook No. 2/0
(double zero).
1 Crown Zipper. Style F. 55, 16-inch
length, to match lining.
3¼ yds. grosgrain ribbon 3 inches wide,
to match lining.
½ yd. lining material.
10 inches of round elastic.

GAUGE: 4 star stitches make 1 inch;
3 rows make 2 inches.

BAG

Using 1 strand of Ecrú and 1 strand of Beige (double thread) as one, ch 84 loosely (to measure 21 inches). **1st row:** Insert hook in 2nd ch from hook and draw loop through, (insert hook in next ch and draw loop through) 3 times having last loop measure ⅝ inch in height, thread over and draw through all loops on hook, ch 1 to fasten (a star st made).
* Insert hook in fastening ch just made

Continued on page 14

BLOUSE

No. 1266

MATERIALS:

CLARK'S O.N.T. or J. & P. COATS BEST SIX CORD MERCERIZED CROCHET, size 30:

SMALL BALL:

CLARK'S O.N.T.—For Size 14—14 balls of White or Ecru or 21 balls of variegated or solid color.

For Size 16—16 balls of White or Ecru or 24 balls of variegated or solid color.

For Size 18—17 balls of White or Ecru or 24 balls of variegated or solid color.

OR

J. & P. COATS—For Size 14—11 balls of White or Ecru or 14 balls of variegated or solid color.

For Size 16—12 balls of White or Ecru or 16 balls of variegated or solid color.

For Size 18—13 balls of White or Ecru or 17 balls of variegated or solid color.

BIG BALL:

CLARK'S O.N.T.—For Sizes 14 and 16—6 balls of White or Ecru.

For Size 18—7 balls of White or Ecru.

OR

J. & P. COATS—For Sizes 14 and 16—6 balls of White or Ecru.

For Size 18—7 balls of White or Ecru,

OR

For Size 14—7 balls of variegated or solid color.

For Sizes 16 and 18—8 balls of variegated or solid color.

Milward's Steel Crochet Hook No. 10.
19 small pearl buttons.

BLOCKING MEASUREMENTS

Sizes	14	16	18
Bust (blouse buttoned)	34"	36"	38"
Width across back at underarm	15"	17"	17"
Width across each front at underarm	10"	10"	11"
Width across back between shoulders	12½"	13"	13½"
Length of side seam	14"	14"	15"
Length from top of shoulder	21½"	22"	23"
Length of sleeve seam	4½"	4½"	5"
Width of sleeve at upperarm	13"	13"	14"

GAUGE: 3 loops and 1 shell make 1 inch; 5 rows make 1 inch.

Sizes	14	16	18
	61	69	69
	loops	loops	loops

BACK . . . Make a chain 20 inches long (about 12 ch sts to 1 inch). **1st row:** Sc in 9th ch from hook, * ch 5, skip 2 ch, sc in next ch. Repeat from * across until there are

	61	69	69
	loops	loops	loops

Cut off remaining chain. Ch 7, turn.

2nd row: Sc in 1st loop, ch 5, sc in next loop, * ch 3, 3 dc in same loop as last sc (a shell made), sc in next loop, (ch 5, sc in next loop) 3 times. Repeat from * across ending with a shell and 2 loops. Ch 7, turn. **3rd row:** Sc in 1st loop, ch 5, sc in next loop, * ch 3, 3 dc in same loop as last sc (shell), sc in ch-3 of next shell, (ch 5, sc in next loop) 3 times. Repeat from * across ending with a shell and 2 loops. Ch 7, turn. Repeat 3rd row until piece measures

	14"	14"	15"
--	-----	-----	-----

Do not chain to turn.

To Shape Armholes: **1st row:** Sl st to center of 1st loop, sc in same loop (1 loop decreased), ch 5, sc in next loop, * shell in same loop, sc in ch-3 of next shell, (ch 5, sc in next loop) 3 times. Repeat from * across to within last loop, turn (1 more loop decreased). **2nd row:** Sl st to center of 1st loop (1 loop decreased), * shell in same loop, sc in ch-3 of next shell, (ch 5, sc in next loop) 3 times. Repeat from * across ending with a shell and sc in ch 3 of next shell, turn (1 more loop decreased). **3rd row:** Sl st across shell (1 shell decreased), sc in ch-3 sp of same shell, * (ch 5, sc in next loop) 3 times, shell in same loop as last sc. Repeat from * across ending with 3 loops, turn (1 more shell decreased). Continue thus decreasing 1 loop or shell as the case may be at both ends of each row until there remain (counting each shell as a loop)

	51	53	55
	loops	loops	loops

Work in pattern until piece measures from 1st row of armhole shaping

	7"	7½"	7½"
--	----	-----	-----

To Shape Shoulders: **1st and 2nd rows:** Sl st across to center of 6th loop from edge (thus decreasing 6 loops), work in pattern across to last 6 loops, turn (6 more loops decreased). **3rd row:** Sl st across to center of 5th loop, work in pattern across to last 5 loops. Fasten off. The remaining

	17	19	21
	loops	loops	loops

are for back of neck.

LEFT FRONT . . . Make a chain 15 inches long (about 12 ch sts to 1 inch). **1st row:** Sc in 9th ch from hook, * ch 5, skip 2 ch, sc in next ch. Repeat from * across until there are

	40	40	44
	loops	loops	loops

Cut off remaining chain. Ch 7, turn.

2nd row: (Front edge) Sc in 1st loop, * shell in same loop, sc in next loop, (ch 5, sc in next loop) 3 times. Repeat from * across ending with a shell and 2 loops. Ch 7, turn. **3rd row:** Sc in 1st loop, ch 5, sc in next loop, * shell in same loop, sc in ch-3 of next shell, (ch 5, sc in next loop) 3 times. Repeat from * across ending with a shell and a loop. Ch 7,

Continued on page 15



Crocheted Headliners

Tassel-trimmed brimmer and
pique trimmed calot, point the
smartness of crochet.

BRIMMED HAT No. 2623

See page 13

LINGERIE CALOT

No. 2621

MATERIALS:

J. & P. COATS KNIT-CRO-SHEEN,
1 ball of White, Ecru or any color.

Milward's Steel Crochet Hook No. 1.

15 inches of double-ruffle eyelet piqué,
2½ inches wide.

2 yds. grosgrain ribbon, 1 inch wide.

GAUGE: 5½ sts make 1 inch; 4 rows
make 1 inch. Wind thread into 2 balls.
With double thread ch 60 (to measure 12
inches). Join with sl st to form ring.
Ch 1, h dc in each ch around (be sure to
keep gauge recommended).

There is a horizontal bar *behind* each
st. Hereafter work only in this horizontal
bar, thus leaving a double ridge on right
side.

1st short row: 2 sc in next st, h dc in
next st, 2 h dc in next st, h dc in next
2 sts, 2 sc in next st, sl st in next st.
Fasten off. **2nd short row:** Attach thread
in 4th st to right of the 1st sc on the 1st
short row, 2 sc in next st, h dc in 13 sts,
2 sc in next st, sl st in next st. Fasten off.
3rd short row: Attach thread same as on
2nd short row, 2 sc in next st, h dc in
5 sts, (2 h dc in next st, h dc in 4 sts)
twice, 2 h dc in next st, h dc in 5 sts,

Continued on page 11

PLAY SHOES

No. 2614

Sizes Small, Medium and Large

MATERIALS:

CLARK'S O.N.T. RUG YARN, 2 balls each of two colors for each size.

Clark's O.N.T. Rug and Afghan Hook size G.

Length of Sole: Small—8 inches, Medium—9 inches, Large—10 inches.

Sizes	Small	Medium	Large
-------	-------	--------	-------

SOLE . . . With double strand of contrasting color, ch 17 ch 20 ch 23 loosely.

1st rnd: 3 sc in 2nd ch from hook, sc in next	7 ch	8 ch	9 ch
dc in following	7 ch	9 ch	11 ch
5 dc in last ch (toe).			

Now work along other side of foundation chain working dc in next

	7 sts	9 sts	11 sts
sc in following	7 sts	8 sts	9 sts
and 2 sc in last st. Join with sl st to 1st sc made.			

2nd rnd: Ch 3, 2 dc in each of next 2 sts, dc in next

	14 sts	17 sts	20 sts
2 dc in each of next 5 sts, dc in next			

	14 sts	17 sts	20 sts
2 dc in each of last 2 sts. Join with sl st to top of ch-3. Fasten off.			

BOTTOM HEEL PAD . . . 1st rnd: With double strand of contrasting color ch 8, sc in 2nd ch from hook and in next 5 ch, 5 sc in last ch, then working along other side of foundation chain work sc in next 6 ch. Ch 3, turn. **2nd rnd:** Dc in next 5 sts, 2 dc in each of next 5 sts, dc in last 6 sts. Fasten off.

TOP HEEL PAD . . . 1st rnd: With double strand of contrasting color ch 10.

USE:

CLARK'S O.N.T. RUG YARN

At your feet, crocheted wedgies
— favorites for comfort and
gay charm.

Sc in 2nd ch from hook and in next 7 ch, 5 sc in last ch, then working along other side of foundation chain work sc in next 8 ch. Ch 3, turn. **2nd rnd:** Dc in next 7 sts, 2 dc in each of next 5 sts, dc in last 8 sts. Fasten off.

SHOE . . . With double strand of main color make a sole exactly like 1st sole, but do not fasten off. **Next rnd:** Ch 1, sc behind the turning ch—to make an sc behind turning ch, insert hook before turning ch from back to front of work, pass hook in front of turning ch and insert it from front to back between turning ch and next dc, yarn over, draw loop through and finish as for an sc (sc will be behind turning ch). Work an sc in same manner behind dc bar of each st around. Join, but do not fasten off.

Note: Before continuing, place both heel pads in position on top of contrasting color sole. Place main color sole on top and with a large darning needle sew through all thicknesses, using contrasting color yarn.

Following rnd: Ch 3, dc in next st, dc in each st around. Join. **Next rnd:** Ch 3, dc in next

	8 sts	11 sts	14 sts
h dc in next 2 sts, sc in next 2 sts, then work sc behind dc bar of next 22 sts. Sc in next 2 sts, h dc in next 2 sts, dc in each remaining st around. Join.			

Last rnd: Ch 1, sc in same place as sl st, sc in next

	10 sts	13 sts	16 sts
h dc in next 2 sts, dc in next 2 sts, then work 9 dc over next 18 dc by working off 2 sts as 1 (9 sts decreased), dc in next 2 sts, h dc in next 2 sts, sc in remaining sts. Join and fasten off.			

CORD . . . Cut 2 strands of contrasting color, each 8 yards long. Knot the 2 strands together at center, thus marking off four 4-yard strands, and hold 2 strands in each hand, close to knot. Make a slip knot close to knot with the strands being held in right hand. Draw loop up

Continued on page 15

LINGERIE CALOT

No. 2621

Continued from page 10

2 sc in next st, sl st in next st. Fasten off. **4th short row:** Attach thread as before, 2 sc in next st (h dc in 6 sts, 2 h dc in next st) 4 times, h dc in 4 sts, 2 sc in next st, sl st in next st. Fasten off. **5th short row:** Attach thread as before, 2 sc in next st, (h dc in 7 sts, 2 h dc in next st) 5 times, h dc in 4 sts, 2 sc in next st, sl st in next st. Fasten off. **6th short row:** Attach thread as before, 2 sc in next st, (h dc in 8 sts, 2 h dc in next st) 6 times, h dc in 3 sts, 2 sc in next st, sl st in next st. Fasten off. **7th short row:** Attach thread as before, 2 sc in next st, (h dc in 10 sts, 2 h dc in next st) 6 times, h dc in 5 sts, 2 sc in next st, sl st in next st. Fasten off. **8th short row:** Attach thread as before, 2 sc in next st, (h dc in 12 sts, 2 h dc in next st) 6 times, h dc in 7 sts, 2 sc in next st, sl st in next st. Fasten off. **9th short row:** Attach thread as before, 2 sc in next st, (h dc in 15 sts, 2 h dc in next st) 6 times, h dc in 3 sts, 2 sc in next st, sc in each remaining st. Join and fasten off. There should be about 115 sts in rnd, and deep part is back. Fold piece in half, mark center back with pin. **Next short row:** With right side facing attach thread in 5th st from center back. Work h dc in next st and in following 8 sts, sl st in next st. Fasten off. **Following short row:** Attach thread in the 4th st beyond the 1st h dc of last short row, work h dc in next st and in each st across to corresponding position beyond end of last short row, sl st in next st. Repeat last row until center back is about 6 inches deep. Work 1 row all around. Fasten off.

FINISHING . . . Bind top opening with grosgrain ribbon. Pin the tape of ruffling inside top opening having ruffle stand up on top of calot. Sew in place. Make a tailored bow and use remaining ribbon for streamers. Sew streamers and bow just under ruffling at back of calot.



CALOT and BAG

No. 2593 *Illustrated on cover*

MATERIALS:

J. & P. COATS BEDSPREAD COTTON,
2 balls of *Ecrú*, or 3 balls of *White* for
the set.

Milward's Casein Crochet Hook No. 5 or
Milward's Steel Crochet Hook No. 2/0
(double zero).

Milward's Casein Knitting Pins, 1 pair No.
5 (4 mm. size).

1 Crown Zipper, Style F.55, 10-inch
length.

$\frac{3}{4}$ yd. printed cotton for lining.
Cable cord.

GAUGE: 5 sts make 1 inch; 8 rows make
1 inch.

BAG . . . With crochet hook work thread
into a very loose chain. Then using this
chain as thread, cast on 90 sts onto
knitting needles. Work in garter stitch
(k each row) until piece measures 20
inches in length. Bind off. Block to meas-
ure 18 inches wide and 20 inches long.

FINISHING . . . Fold knitted piece in
half to measure 9 x 20 inches. Sew short
edges together. Line bag and sew zipper
across center 10 inches of opening. Sew
up both 5-inch openings on either side
of zipper. Make 2 horizontal tucks on
front of bag, each tuck being 3 inches
long and 1 inch deep. Make 2 tucks same
as this on back of bag. Sew all tucks in
place.

CORDING (Make about 60 inches)
. . . Cut bias strips 1 inch wide from
remainder of lining material. Fold
through center, wrong side out and stitch
the lengthwise edge of strip together,
thus making a tube. Fasten cable cord
to bodkin and fasten bodkin to 1 end of
tubing. Cover cable cord by drawing bod-
kin (with cable cord attached) through
tubing, thus sliding tubing right side out
and over cable cord. Cut a piece of cord-
ing 15 inches long. Sew ends together
forming a circle. Make a double loop of
this piece by fastening ends to top edge
at front of bag having double loop fall
free on front side of bag. Cut another
piece of cording 40 inches long. Sew
ends together as before to form circle.
Pass this piece through loop at front,
bring both ends around bottom of bag
and sew ends in place to top edge at
back of bag to correspond with ends
sewn to front.

CALOT . . . Work thread into a loose
chain as before; then cast on 15 sts and
* work in garter stitch increasing 1 st at
same edge on each row until there are
30 sts. Work 1 row straight; then dec 1
st on same edge as increases on each row
until 15 sts remain. This finishes 1 sec-
tion of calot, do not break off but repeat
from * until 5 sections in all are com-
pleted. Bind off. Sew cast-on sts and
bound-off sts together for back seam.

FINISHING . . . Make 3 yards of cord-
ing same as on Bag. Starting at back seam
whip cording along edge of point, leave
a 3-inch loop (6 inches of cording) free
at top of point. Continue to whip cord-
ing down other side of this point and up

side of next point. Leave a 10-inch loop
(20 inches of cording) at top of this
point. Make a 3-inch loop at top of next
point, a 10-inch loop at top of next point
and a 3-inch loop at top of last point.
Make a double loop from each 10-inch
loop by tacking center of loop to top of
point. Draw all 5 points together and sew
securely. Gather all loops together by
winding a piece of cording around base
of loops, tuck in ends and sew in place.

SCALLOPED YOKE

No. 2583 *Illustrated on page 3*

MATERIALS:

CLARK'S O.N.T. or J. & P. COATS BEST
SIX CORD MERCERIZED CROCHET,
size 30:

SMALL BALL:

CLARK'S O.N.T.—4 balls of *White* or
Ecrú, or 6 balls of any
color,

OR

J. & P. COATS —3 balls of *White* or
Ecrú, or 4 balls of any
color,

OR

BIG BALL:

CLARK'S O.N.T.—2 balls of *White* or
Ecrú,

OR

J. & P. COATS —2 balls of *White*, *Ecrú*,
or any color.

Milward's Steel Crochet Hook No. 10 or
11.

8 buttons.

Snap fasteners.

GAUGE: 6 dc and 6 ch make $\frac{7}{8}$ inch;
6 rows make 1 inch.

RIGHT FRONT . . . Ch 31. 1st row: Dc
in 4th ch from hook, dc in next 4 ch,
(ch 6, skip 6 ch, dc in next 6 ch) twice.
Ch 15, turn. 2nd row: (Dc in next 6 dc,
ch 6) twice, dc in 2 dc, dc in top st of
turning ch. Ch 3, turn. 3rd row: Dc in
5 dc, (ch 6, dc in 6 dc) twice, ch 6, skip
6 ch, dc in next ch. Ch 7, turn. 4th row:
Dc in 4th ch from hook, dc in 3 ch, dc in
dc, ch 6, finish row. Ch 3, turn. 5th row:
Work in pattern across. Ch 15, turn.
6th row: Dc in next 6 dc, finish row.
Ch 3, turn. 7th row: Work in pattern
across ending row with ch 6, skip 6 ch,
dc in next ch. Ch 7, turn. Repeat the last
4 rows (4th to 7th rows incl) 3 more
times; then repeat 4th and 5th rows once
more. There are 7 stripes of openwork
separated by dc groups. Work straight
in pattern until piece measures 9 inches
along front edge.

NECK SHAPING . . . Starting at front
edge, shape neck as follows: 1st row: Sl
st across to 1st dc of next 6 dc group, ch
2, dc in next 5 dc, finish row. Ch 3, turn.
2nd row: Work in pattern to last open-
work stripe of last row, ch 6, sc in next
dc. Turn. Repeat 1st and 2nd rows once
more; then repeat 1st row once more.
Work 4 rows straight. To shape shoul-
der, starting at side edge repeat alter-
nately the 1st and 2nd rows of Neck
Shaping 3 times in all. Fasten off.

SCALLOPS . . . Attach thread under bar
of 3rd dc of front lower edge (at inner

edge of 1st openwork stripe), * ch 10,
skip 2 rows, sc under bar of next dc. Re-
peat from * across to neck edge. Ch 1,
turn. In each ch-10 loop make 14 sc.
Fasten off. Make a row of scallops along
inner edge of each openwork stripe.

LEFT FRONT . . . Work to correspond
with Right Front.

BACK . . . Ch 176 (to measure about 13
inches). 1st row: Dc in 4th ch from
hook, dc in next 4 ch, * ch 6, skip next
6 ch, dc in next 6 dc. Repeat from *
across (15 dc groups with openwork
stripes between). Ch 3, turn. 2nd row:
Dc in next 5 dc, * ch 6, dc in 6 dc. Re-
peat from * across. Ch 3, turn. Repeat
2nd row until piece measures 2 inches.
To shape shoulders, sl st across to 1st dc
of next 6 dc group, ch 2, dc in next 5 dc,
work across to beginning of last open-
work stripe. Turn. Repeat last row 3
more times. Fasten off. Work scallops
along openwork stripes as on Fronts
starting under bar of 1st dc of bottom
edge. Sew shoulder seams allowing $4\frac{3}{4}$
inches for back of neck.

OUTER EDGING . . . Attach thread in
3rd dc of Right Front lower edge, (ch
10, sc in last ch of next openwork stripe,
ch 10, sc in last dc of next group) twice;
then working along shaped edge, * ch
10, skip 6 ch, sc in next ch, ch 10, sc in
base of turning ch of next 6 dc group.
Repeat from * 4 more times. Then **
ch 10, skip 2 rows, sc in next row (un-
der bar formed by dc or turning ch).
Repeat from ** along side edge to lower
edge of Back. Work along lower edge of
Back same as lower edge of Front. Work
remainder of edge to correspond. Ch 1,
turn. In each loop around make 14 sc.
Fasten off.

COLLAR . . . Starting at neck edge ch
170 (to measure 13 inches). 1st row:
Dc in 4th ch from hook and in each ch
across. Ch 3, turn. 2nd row: Dc in each
st across. Ch 3, turn. Repeat 2nd row
until piece measures $2\frac{1}{2}$ inches. Work
scallops along outer edge same as outer
edging. Fasten off. Sew collar along neck
edge. Sew 8 buttons evenly along Right
Front edge. Sew on snap fasteners to
close center front.

FRILLED YOKE

No. 2600 *Illustrated on page 3*

MATERIALS:

J. & P. COATS KNIT-CRO-SHEEN,
1 ball of *White* or *Ecrú*, or 2 balls of
any color.

Milward's Steel Crochet Hook No. 6.
5 buttons.

GAUGE: $8\frac{1}{2}$ sts make 1 inch; 4 rows
make 1 inch.

Starting at neckline, ch 118 (to meas-
ure about 15 inches). 1st row: Dc in 4th
ch from hook, dc in next 19 ch, ch 1, dc
in next 16 ch, ch 1, dc in next 42 ch, ch
1, dc in next 16 ch, ch 1, dc in next 21
ch. Ch 3, turn. 2nd row: *Working only
in the back loop of each st*, * make dc
in next st and in each st to within 1 st
before ch-1 sp, 2 dc in next st (an inc);
in ch-1 sp make dc, ch 1 and dc (2 inc);

2 dc in next st (another inc). Repeat from * 3 more times, dc in each st across, dc in top st of turning ch. Ch 3, turn. **3rd row:** Working in both loops of each st, * make dc in each st to within 1 st before ch-1 sp, 2 dc in next st (inc); in ch-1 sp make dc, ch 1 and dc (2 inc); 2 dc in next sp (inc). Repeat from * 3 more times, dc in each st across, dc in top st of turning ch. Ch 3, turn. Repeat last 2 rows (2nd and 3rd rows) alternately until 15 rows in all are completed. Ch 6 at end of last row, turn. **Next row:** Sc in front loop of 1st st, * ch 6, sc in front loop of next st. Repeat from * across, ending row with ch 6, sc in top st of turning ch. Ch 3, turn. **Following row:** Holding ch-6 loops in back of work make dc in remaining loop of each st of last dc row. Ch 6, turn. Repeat last 2 rows once more. Fasten off.

NECK FRILL . . . With wrong side facing, work a row of sc all around neck edge, easing in if necessary to fit. Ch 6, turn. **2nd row:** Sc in front loop of 1st st, * ch 6, sc in front loop of next st. Repeat from * across. Ch 1, turn. **3rd row:** Make sc in remaining loop of each st of last sc row. Ch 6, turn. **4th and 5th rows:** Repeat 2nd and 3rd rows. Fasten off. Work 2 rows of sc down left side of back opening. Make five ch-5 loops evenly down right side of back opening. Sew on buttons.

STRIPED SHIRT and CAP

No. 1268 Illustrated on page 5

MATERIALS:

J. & P. COATS KNIT-CRO-SHEEN, For Sizes 12 and 14—5 balls of Skipper Blue, 3 balls each of Spanish Red and Yellow. For Size 16—6 balls of Skipper Blue, 3 balls each of Spanish Red and Yellow.

Milward's Casein Knitting Pins, 1 pair No. 1 (2½ mm. size).

BLOCKING MEASUREMENTS:

Sizes	12	14	16
Bust	32"	34"	36"
Width across back or front at underarm	16"	17"	18"
Width across back between shoulders	13"	13½"	14"
Length of side seam (hem turned up)	14½"	15"	15"
Length from top of shoulder	22"	23"	23"
Length of sleeve seam	18½"	19½"	19½"
Across sleeve at upperarm	12"	13"	13"

GAUGE: 9 sts make 1 inch; 12 rows make 1 inch.

SHIRT

Sizes	12	14	16
FRONT . . . With Blue cast on loosely	144 sts	154 sts	164 sts

Work in stockinette stitch (k 1 row, p 1 row) for 19 rows. **20th row:** Knit across, thus forming a ridge on right side (hem will be turned up at this point). Resume stockinette stitch and work 20 rows from ridge. Break thread, attach Red and work 14 rows. Break thread, attach Yellow and work 14 rows. Break thread, attach Blue. Continue thus, working 20 rows of Blue, 14 rows of Red and 14 rows of Yellow, until piece measures in all

	16"	16½"	16½"
ending with the	10th	2nd	2nd
row of	row of	row of	row of
Red	Yellow	Yellow	Yellow
stripe	stripe	stripe	stripe

To Shape Armholes: Bind off at beginning of next 2 rows

	6 sts	7 sts	8 sts
--	-------	-------	-------

Dec 1 st at end of each row until there remain

	118 sts	122 sts	126 sts
--	---------	---------	---------

Work straight until piece measures 4½ inches from 1st row of armhole shaping.

To Shape Neck: Work across 49 sts, bind off for front of neck next

	20 sts	24 sts	28 sts
--	--------	--------	--------

Work across remaining 49 sts.

Work over this last set of sts only binding off 2 sts at neck edge every other row until 37 sts remain. Work straight until piece measures from 1st row of armhole shaping.

	7"	7½"	7½"
--	----	-----	-----

To Shape Shoulder: Starting at armhole edge bind off 9 sts every other row 3 times. Starting at same edge bind off remaining 10 sts. Attach thread at opposite neck edge and work other side to correspond.

BACK . . . Work as for Front omitting neck shaping until armhole measures

	7"	7½"	7½"
--	----	-----	-----

To Shape Shoulder and Back of Neck Simultaneously bind off 9 sts, work across next 34 sts, bind off next

	32 sts	36 sts	40 sts
--	--------	--------	--------

Finish row.

Work over this last set of sts only binding off 9 sts at armhole edge every other row twice and 10 sts at same edge once, at the same time bind off 2 sts at neck edge every other row until none remain. Attach thread at opposite side and work to correspond.

SLEEVES . . . With Blue cast on

	80 sts	86 sts	90 sts
--	--------	--------	--------

Work in ribbing of k 1, p 1, for 3 inches. Break thread. Attach Yellow and work Stripe Pattern (Yellow, Blue, Red) in stockinette stitch, increasing 1 st at both ends of every

	12th	11th	12th
	row	row	row

until there are on needle

	108 sts	118 sts	118 sts
--	---------	---------	---------

Work straight until piece measures in all

	18½"	19½"	19½"
--	------	------	------

ending with the

	10th	2nd	2nd
	row of	row of	row of
	Red	Yellow	Yellow
	stripe	stripe	stripe

To Shape Top: Bind off at beginning of next 2 rows

	6 sts	7 sts	7 sts
--	-------	-------	-------

Dec 1 st at end of each row until there remain

	82 sts	90 sts	90 sts
--	--------	--------	--------

Bind off 3 sts at beginning of each row until there remain

	22 sts	12 sts	12 sts
--	--------	--------	--------

Bind off.

NECK BAND . . . Sew up one shoulder. With right side facing and Blue, pick up along entire neck edge

	160 sts	172 sts	184 sts
--	---------	---------	---------

Work in ribbing of k 1, p 1 for 1½ inches. Bind off. Block pieces to measurements given. Sew remaining shoulder and neck band. Fold neck band in half and whip bound-off sts down on wrong side being careful to allow for head room. Sew underarm and sleeve seams. Sew sleeves in. Turn under hem at ridge at bottom and whip in place. Press through a damp cloth.

STOCKING CAP

With Blue cast on 172 sts and work exactly as for Back until 1st Yellow stripe is completed. Hereafter dec 12 sts evenly on the 1st row of each stripe until 28 sts remain. Finish this stripe. Break thread leaving an 8-inch length. Thread a needle with this length and slip remaining sts onto thread. Draw together and fasten securely on wrong side. Sew up seam. Turn under hem at ridge at bottom and whip in place allowing for headroom. Press through damp cloth.

TASSEL . . . Cut a cardboard 5 inches wide, place 3 strands of Blue each 8 inches long across length of cardboard. Wind 1 strand of Blue around width of cardboard 150 times. Break thread. Pick up 8-inch strands and tie securely. Slip tassel off cardboard. Wind Blue 3 times around tassel near top. Fasten tassel securely to tip of cap.

BRIMMED HAT

No. 2623 Illustrated on page 10

MATERIALS:

J. & P. COATS KNIT-CRO-SHEEN, 3 balls of White, Ecru or any color. Milward's Steel Crochet Hook No. 1. Millinery wire.

GAUGE: 13 sts make 2 inches.

Starting at crown with double thread, ch 2. **1st rnd:** 9 sc in 2nd ch from hook. Do not join rnds and hereafter work only in the front loop of each st. The wrong side of crochet is right side of hat. **2nd rnd:** (3 sc in next sc, sc in 2 sc) 3 times. **3rd rnd:** Sc in each st around making 3 sc in center st of 3-sc group. Repeat 3rd rnd until there are 87 sts in rnd. Fasten off. **1st short row:** Fold piece in half and mark center of one side with pin. Count 4 sts to right of pin; attach double thread in front loop of next st. Sc in 8 sts, sl st in next st. Fasten off. **2nd short row:** Attach thread in front loop of 4th st to right of 1st sc of last row, sc in each st across to 3rd st from last sc at end of last short row, sl st in next st. Fasten off. Repeat 2nd short row until sts meet at front point (87 sts). Do not fasten off but work around increasing 9 sts evenly on next rnd (96 sts) and 6 sts on each following rnd until there are

Continued on page 14

BRIMMED HAT

No. 2623 *Continued from page 13*

126 sts in rnd. Work straight until piece measures 4 inches from front point, sl st in next st, turn.

BRIM . . . Next rnd: Sl st in both loops of each st around, turn. **Following rnd:** Sc in back loop of each sl st around increasing 8 sts evenly around. Mark off 46 sts across back. Hereafter work straight over these 46 sts but inc 4 sts evenly across remaining sts of front, being sure increases do not fall one above the other until Brim measures 1 inch. Work 2 rnds straight. Inc 4 sts across front only on next 4 rnds. Work 2 rnds straight. Work 4 more inc rnds as before. **Next rnd:** Holding wire along edge of previous rnd and working over it in order to conceal it, make sc in both loops of each sc around overlapping wire for about 2½ inches before it is completely covered. Sl st in next st, turn. **Following rnd:** Work sc in base of each sc of previous rnd. Fasten off. Make a tuck around triangle at top of crown having tuck 1 inch deep at center back and graduating it to nothing on both sides of front point. Sew tuck in place.

TASSEL . . . Cut a cardboard 6 inches wide and 10 inches long. Place two 8-inch lengths of thread across width of cardboard. Wind double thread around length of cardboard 125 times (across 8-inch strands). Pick up both ends of 8-inch strands and tie securely. Fold a 6-inch piece of millinery wire in half and twist. Tie top of tassel to folded end of wire. Now slip tassel off cardboard, wind thread several times around near top (keeping wire in with strands of tassel). Sew wire to front point having "knob" of tassel extend up and above top of crown. Spread strands of tassel and trim.

HAT and BAG

No. 2594 *Continued from page 8*

and draw loop through to same height as loop on hook, insert hook in last loop of previous star stitch and draw loop through to same height as other loops, insert hook in chain where last loop of previous star stitch was drawn through, and draw loop through to same height, insert hook in next ch and draw loop through to same height; thread over and draw through all loops on hook, ch 1 to fasten (another star st made). Repeat from * across (80 star sts and row measure 20 inches). Ch 3, turn.

Note: Loops of each star stitch are always drawn through to height of loop on hook at the beginning of star stitch. **2nd row:** Insert hook in 2nd ch from hook and draw loop through, insert hook in next ch and draw loop through, insert hook in fastening ch of star st below and draw loop through, insert hook in fastening ch of next star stitch and draw loop through, thread over and draw through all loops on hook, ch 1 to fasten. * Insert hook in fastening ch just made and draw loop through, insert hook in last loop of previous star st and draw loop through, insert hook in same fasten-

ing ch where last loop of previous star stitch was drawn through, and draw loop through, insert hook in fastening ch of next star st below and draw loop through, thread over and draw through all loops on hook, ch 1, to fasten. Repeat from * across drawing up last loop of 80th star st in top st of turning ch. Ch 3, turn. Repeat 2nd row until piece measures 16 inches. Fasten off. Block piece to measure 16 inches wide and 20 inches long.

FINISHING . . . Fold up one 16-inch edge for 8 inches. Sew side edges together (remaining 4 inches to be front flap). Line bag and flap with lining material. Sew zipper (under flap) across opening. Using 60 inches of ribbon make a large double bow having 2 ends and 4 loops. Make a band of folded ribbon across center of bow. Fasten securely to center of front flap.

HAT

HEADBAND . . . Using 1 strand of Ecu and 1 strand of Beige (double thread) as one, ch 80 (to measure 20 inches). Work as for Bag until 4 rows are completed. Fasten off.

TOP PIECE . . . With double thread ch 9 and work as for Bag increasing 1 star st at the beginning of the 4th row and each row thereafter until there are 15 star sts—to inc 1 star st, draw up first 2 loops in turning ch as before, insert hook in fastening ch of star st below and draw loop through, insert hook in top of same star st and draw loop through, thread over and draw through all loops on hook. Work straight until piece measures 11 inches. Fasten off.

FINISHING . . . Knot free ends of elastic forming a ring. Fold ring over, so that it forms a double ring. Slip one narrow end of Headband through ring and sew end down close to elastic. Slip other end of Headband through ring and sew down, thus making a complete circle of Headband; the elastic ring is center back. Pin wide end of Top Piece to top edge at center front of Headband having Headband overlap edge of Top Piece. Slip narrow end of Top Piece through elastic ring and sew in place. Place on head and if necessary make adjustments at front; then sew in place. Using 50 inches of ribbon make a large double bow having 2 ends and 4 loops. Make a band of folded ribbon across center of bow. Pin to front of hat at desired angle and sew in place.

LAPELS No. 2589

Illustrated on page 8

MATERIALS:

J. & P. COATS KNIT-CRO-SHEEN,
1 ball of White.

Milward's Steel Crochet Hook No. 5.
1½ yds. of velvet ribbon, ¼ inch wide.
Bias tape.

GAUGE: 9 sts make 1 inch, 7 rows make 1 inch.

FIRST REVERE . . . Starting at neck edge make a chain 16 inches long. **1st row:** Sc in 2nd ch from hook, and in each

ch across, until row measures 14 inches. Ch 2, turn. Cut off remaining chain. **2nd row:** Working only through the back loop of each sc, work h dc in next st (ch 2 counts as 1st h dc), h dc in each st across to end of row. Ch 1, turn. **3rd row:** Sc in each st across and in top of turning ch. Turn. **4th row:** Skip 1st sc, sl st in next 4 sc (4 sts decreased), ch 2, then working through the back loop of each sc, work h dc in each st across to last 2 sts, then work last 2 sts off as 1 st (1 st decreased). Ch 1, turn. **5th row:** Skip 1st st, sc in next st and in each st across to last 4 sts (3 h dc and turning ch). Turn. Repeat the last 2 rows alternately, thus decreasing 4 sts at bottom edge and 1 st at top edge on each row, until widest part of reverse measures 4 inches. Fasten off. Attach thread to bottom end of starting ch. Ch 4, sc at bottom point, * ch 4, sc in next point. Repeat from * to top, then work loops to correspond along top edge. Fasten off.

SECOND REVERE . . . Work to correspond with 1st reverse. Run velvet ribbon through loops as in illustration. Bind neck edge with bias tape.

SLEEVELESS PULLOVER No. 1267

Illustrated on page 5

MATERIALS:

J. & P. COATS BEDSPREAD COTTON,
3 balls of Ecu for all sizes, or 3 balls of White for size 14, 4 balls of White for sizes 16 and 18.

Milward's Casein Crochet Hook No. 5 or
Milward's Steel Crochet Hook No. 2/0
(double zero).

Milward's Casein Knitting Pins, 1 pair No. 5
(4 mm. size), and 1 pair No. 2 (2¾
mm. size).

2 yds. grosgrain ribbon, 1 inch wide.

BLOCKING MEASUREMENTS:

Sizes	14	16	18
Bust	34"	36"	38"
Width across back or front at underarm	17"	18"	19"
Width across back between shoulders	13"	13½"	14"
Length of side seam	11"	11½"	12"
Length from top of shoulder	19"	20"	21"

GAUGE: (Garter stitch) 5 sts make 1 inch; 8 rows make 1 inch. Back and Front are worked in one piece.

Sizes	14	16	18
-------	----	----	----

Starting at lower edge of Front with No. 2 needles and double thread, cast on
84 sts 90 sts 94 sts

With double thread work tightly in ribbing of k 2, p 2 for 4 inches. Change to No. 5 needles and k across. Break thread, leave these sts on needle and lay aside. With crochet hook work single thread into a very loose chain. Then using this chain as thread, knit in garter stitch (k each row) until piece measures in all
11" 11½" 12"

To Shape Armholes: Bind off at beginning of next 2 rows

4 sts 6 sts 7 sts

Dec 1 st at end of each row until there remain

66 sts 68 sts 70 sts

Work straight until piece measures 2 inches from 1st row of armhole shaping.

To Shape Neck: Work across

33 sts 34 sts 35 sts

turn. Work over these sts only, keeping armhole edge straight and decreasing 1 st at neck edge on next row and every 4th row thereafter until there remain

22 sts 22 sts 23 sts

Work straight until piece measures from 1st row of armhole shaping ending at neck edge.

8" 8½" 9"

Break off.

Attach chain thread where sts were divided and work other side to correspond, ending at armhole edge. **Next row:** Work across sts of one shoulder, cast on for back of neck

22 sts 24 sts 24 sts

and work across sts of other shoulder. There are on needle

66 sts 68 sts 70 sts

Work straight until piece measures from back of neck

6½" 7" 7½"

Inc 1 st at end of each of the next 10 rows. Cast on at end of next 2 rows

4 sts 6 sts 7 sts

Work remainder of Back to correspond with Front. Bind off loosely. Fold ribbon in half over neck edge and baste, being careful to miter point at front. Machine stitch in place. Finish armholes in same way. Sew underarm seams. Press through damp cloth.

PLAY SHOES

No. 2614 *Continued from page 11*

1½ inches and slip onto index finger of right hand. Holding knot firmly between thumb and middle finger of right hand, * insert index finger of left hand from right to left through the loop, pick up

the strands of left hand with left index finger and draw a loop through. Remove first 3 fingers of right hand, then holding knot firmly between thumb and middle finger of left hand, pull strands of right hand tight. Insert index finger of right hand from left to right through the loop, pick up the strands of right hand with right index finger and draw a loop through. Remove first 3 fingers of left hand, then holding knot firmly between thumb and middle finger of right hand, pull strands of left hand tight. Repeat from * until entire length of strands has been used. Pull ends through last loop, then draw ends back through length of cord. Pull cord through crocheted fabric as in illustration and tie around ankle.

BLOUSE No. 1266

Continued from page 9

turn. **4th row:** (Front edge) Sc in 1st loop, * shell in same loop, sc in ch-3 of next shell, (ch 5, sc in next loop) 3 times. Repeat from * across ending with a shell and 2 loops. Ch 7, turn. Repeat 3rd and 4th rows alternately until piece measures

14" 14" 15"

To Shape Armhole: Dec 1 loop or shell, as the case may be, at side edge on each row until there remain

31 32 33
loops loops loops

Work in pattern until piece measures from 1st row of armhole shaping about

4¼" 4¾" 5¼"

ending at front edge.

To Shape Neck: Starting at front edge sl st across

8 9 10
loops loops loops

Keeping armhole edge straight, dec 2 loops at neck edge on each row until 17 loops remain. Work in pattern until piece measures from 1st row of armhole shaping

7" 7½" 7½"

Shape shoulder by decreasing 6 loops at armhole edge on next 2 rows. Fasten off.

RIGHT FRONT . . . Work to correspond with Left Front.

SLEEVES . . . Make a chain 18 inches long (about 12 ch sts to 1 inch). **1st row:** Sc in 9th ch from hook, * ch 5, skip 2 ch, sc in next ch. Repeat from * across until there are

57 57 65
loops loops loops

Cut off remaining chain, ch 7, turn.

Work as for Back until piece measures

4½" 4½" 5"

To Shape Top: Dec 1 loop or shell as the case may be at the end of each row until there remain

39 39 31
loops loops loops

Then dec 1 loop at both ends of each row until there remain

11 11 15
loops loops loops

Fasten off.

COLLAR . . . Starting at neck edge make a chain 18 inches long. **1st row:** Sc in 9th ch from hook, * ch 5, skip 2 ch, sc in next ch. Repeat from * across until there are

55 59 63
loops loops loops

Cut off remaining chain, ch 7, turn.

2nd row: Sc in 1st loop, * shell in same loop, sc in next loop, (ch 5, sc in next loop) 3 times. Repeat from * across ending with a shell and 1 loop. Ch 7, turn. Work in pattern until piece measures 2½ inches. Then work a row of sc along the outer edge. Fasten off.

Sew shoulder and side seams. Work a row of sc along both front edges. Sew collar along neck edge, having center front edges of blouse extend ¾ inch beyond edges of collar. Sew seam tape on wrong side of Left Front, ⅜ inch in from edge. Sew buttons to tape on right side. Use corresponding loops on Right Front as buttonholes. Make a 2-inch inverted pleat at center bottom of sleeve matching pattern when making pleat. Sew sleeve seams and sew sleeves in.

GENERAL INFORMATION

GAUGE . . . For perfect results your number of stitches and rows should correspond with that in the directions. Before starting your article, make a small sample of the stitch. If your working tension is too tight or too loose, use a finer or coarser needle, to obtain the correct gauge.

BLOCKING DIRECTIONS . . . Using rust-proof pins, pin individual pieces right-side-down on Turkish towels, following MEASUREMENTS given at beginning of directions. Press with a hot iron, through a damp cloth. When thoroughly dry, remove pins. Then sew pieces together as directed.

TO LAUNDER COTTON ARTICLES . . . Before laundering, measure garment carefully and record all important measurements. Use a good neutral soap or soap

flakes; make suds in warm water. Squeeze suds through article until it is clean. Rinse thoroughly and wring out. Lay out article on Turkish towels, according to recorded measurements, and pin in place with rust-proof pins. Press through dry cloth. When thoroughly dry, remove pins. Press lightly where necessary.

IMPORTANT . . . Be sure to buy at one time sufficient material of the same dye lot to complete the article you wish to make, as it is impossible to avoid slight variations in colors in different dye lots.

STARCH STIFFENING . . . Starch the article, pin out on a padded surface following original measurements and outline, press through a dry cloth and remove pins when article is dry. The stiffness of the starched article is governed by individual taste. Following directions

on packaged starch and experimenting will bring desired results.

ABBREVIATIONS FOR CROCHET AND KNITTING

Ch Chain	St(s) Stitch(es)
Sc Single Crochet	K Knit
H dc Half Double Crochet	P Purl
Dc Double Crochet	O Thread or Yarn Over
Tr Treble	Tog Together
D tr Double Treble	Rnd Round
Tr tr Triple Treble	Incl Inclusive
Sl st Slip Stitch	Inc Increase
Bl Block	Dec Decrease
Sp Space	p.s.s.o. Pass Sl St Over k st
P Picot	


* (asterisk) . . . Repeat the instructions following the asterisk as many more times as specified, in addition to the original.

Repeat instructions in parentheses as many times as specified. For example: "(K 1, O, p 3) 4 times" means to make all that is in parentheses 4 times in all. Also, "(Ch 5, sc in next sc) 5 times" means to make all that is in parentheses 5 times in all.

Cotton Accessories

**FOR TOWN
AND COUNTRY**

**CALOT and BAG
No. 2593
See Page 12**



PRICE 10 CENTS